# MAGIC SURFSKATE SELECTOR FORMULA

# 4 Steps for Selecting Your Ideal Surfskate Model from Any Company



www.surfskate.love

© Copyright by Surfskate Love LLC

## www.surfskate.love



# THE MAGIC FORMULA

#### STEP I: DETERMINE YOUR WHEELBASE RANGE

First, measure your stance width. Then add an inch below and an inch above your stance width to get your wheelbase range. For example, if your stance width is 16", your wheelbase range is 15"-17".

#### **STEP 2: MATCH WHEELBASE RANGE WITH YOUR TRUCK**

Using the Cheat Sheet, use your stance width column to match the appropriate wheelbase range for any given surfskate truck. Eliminate all decks from that company that are out of your wheelbase range (at least those narrower than the low number of your range).

#### **STEP 3: NARROW DOWN BY STYLE & PURPOSE**

Determine your riding style/purpose/environment/etc. How do you want to skate? Narrow down your deck selection by corresponding wheelbase with riding style and purpose.

#### **STEP 4: FINAL DECISION**

Consider all other deck factors (width, concave, kick tail, foot placement, etc.).




### STEP 1: FIND YOUR WHEELBASE RANGE

Stand in your bare feet with your feet shoulder distance apart, as if you were surfing or standing on a surfskate.

Use your hips and knees to shift your body weight, going up and down and in circles. While moving around, as if you were surfing, shift your stance width slightly until you settle into the stance that feels the most comfortable, grounded, and balanced for you, while also allowing for the most flexibility.

Now measure the distance between the arches of your inner feet. This is your stance width.



STANCE SHOWN: 18"



#### **DETERMINE YOUR WHEELBASE RANGE**

Add an inch below and an inch above your stance width to get your wheelbase range.

In the example shown below, the stance width is 18". Therefore, the wheelbase range for this stance is between 17" and 19".



STANCE SHOWN: 18"

> WHEELBASE RANGE: 17" - 19"



## THE MAGIC FORMULA KEY PRINCIPLE:

The surfskates that fit you best are those with a wheelbase that most closely align with your stance width.

#### **FOLLOW-UP PRINCIPLE:**

Since every surfskate truck is designed differently, you have to calculate for how the particular truck design changes the wheelbase.



# STEP 2: MATCH WHEELBASE RANGE WITH YOUR TRUCK

Using the Cheat Sheet on the following page, use your stance width column to match the appropriate wheelbase range for any given surfskate truck.

For example, if your stance width is 14", use the column labeled 14" to determine the appropriate wheelbase range for the surfskate truck of your choice.

This particular wheelbase range tells you the complete systems you should be considering for your preferred company.

\*Wheelbase is the distance between the inner bolts on a deck.

\*The Carver C7 truck is the surfskate truck that is closest to true wheelbase distance. Therefore, it is the baseline by which all wheelbase measurements are determined on other surfskate trucks. In the first column of the Cheat Sheet you will see all the surfskate trucks listed. Under some trucks you will see a minus number. This represents the distance that particular truck loses in wheelbase by being more offset from the bolt hole wheelbase. For example, the Carver CX truck is set back .5" relative to the Carver C7. This means that on the CX, you lose a half inch in wheelbase relative to the C7. The SpiceSkate SpacePilot is offset I" relative to the Carver C7, which means you lose an inch of wheelbase.





# SURFSKATE BUYER'S GUIDE CHEAT SHEET

|             |                              | Stance Width*           |                         |                           |                            |                            |                                  |                          |  |  |
|-------------|------------------------------|-------------------------|-------------------------|---------------------------|----------------------------|----------------------------|----------------------------------|--------------------------|--|--|
|             |                              | <b>4 3 3 5 . 6 cm</b>   | 15"<br>38.1 cm          | 16 <sup>10</sup> 40.6cm   | 17 <sup>11</sup><br>43.2cm | 18 <sup>11</sup><br>45.7cm | <b>19</b> <sup>U</sup><br>48.3cm | 20 <sup>11</sup> 50.8cm  |  |  |
| Wheelbase** | Carver<br>C7                 | 13-15"<br>33-38cm       | 14-16"<br>36-41cm       | 15-17"<br>38-43cm         | 16-18"<br>41-46cm          | 17-19"<br>43-48cm          | 18-20"<br>46-51cm                | 19-21"<br>48-53cm        |  |  |
|             | Slide<br>V3                  | 13-15"<br>33-38cm       | 14-16"<br>36-41cm       | 15-17"<br>38-43cm         | 16-18"<br>41-46cm          | 17-19"<br>43-48cm          | 18-20"<br>46-51cm                | <b>19-21"</b><br>48-53cm |  |  |
|             | Carver<br>CX<br>5"           | 13.5-15.5"<br>34-39cm   | 14.5-16.5"<br>37-42cm   | 15.5-17.5"<br>39-44cm     | 16.5-18.5"<br>42-47cm      | 17.5-19.5"<br>44-50cm      | 18.5-20.5"<br>47-52cm            | 19.5-21.5"<br>50-55cm    |  |  |
|             | SpiceSkate SpicePilot - "    | 14-16"<br>36-41cm       | 15-17"<br>38-43cm       | 16-18"<br>41-46cm         | 1 <b>7-19''</b><br>43-48cm | 18-20"<br>46-51cm          | 1 <b>9-21"</b><br>48-53cm        | <b>20-22"</b><br>51-56cm |  |  |
|             | YOW<br>Meraki<br>-1.75"      | 14.75-16.75"<br>37-43cm | 15.75-17.75"<br>37-45cm | 16.75-18.75"<br>43-48cm   | 17.75-19.75"<br>45-50cm    | 18.75-20.75"<br>48-53cm    | 19.75-21.75"<br>50-55cm          | 20.75-22.75"<br>53-58cm  |  |  |
|             | SwellTech                    | 16.5-18.5"<br>42-47cm   | 17.5-19.5"<br>44-50cm   | 18.5-20.5"<br>47-52cm     | 19.5-21.5"<br>50-55cm      | 20.5 - 22.5"<br>52-57cm    | 21.5-23.5"<br>55-60cm            | 22.5-24.5"<br>57-62cm    |  |  |
|             | Smoothstar<br>Thruster<br>4" | 17-19"<br>43-48cm       | 18-20"<br>46-51cm       | 1 <b>9-21"</b><br>48-53cm | 20-22"<br>51-56cm          | 21-23"<br>53-58cm          | 22-24"<br>56-61cm                | 23-25"<br>58-64cm        |  |  |

<sup>\*</sup>Stance width is determined by standing in your natural stance and measuring between the middle of your inner feet.

<sup>\*\*</sup>Wheelbase is the distance between inner bolt holes.

## **EXAMPLE USING AN 18" STANCE WIDTH**

If your stance width is 18", you would follow the 18" column down to find the appropriate wheelbase range for your chosen surfskate truck. For example, if you want the YOW Meraki, then for an 18" stance you should only consider YOW completes that have a minimum wheelbase of 18.75".

|  |                              | Stance Width*             |                         |                          |                          |                         |                         |                          |  |
|--|------------------------------|---------------------------|-------------------------|--------------------------|--------------------------|-------------------------|-------------------------|--------------------------|--|
|  |                              | <b>4 4 3 5</b> .6cm       | 15"<br>38.1cm           | ] 6 <sup>10</sup> 40.6cm | 17 <sup>11</sup>         | 18"<br>45.7cm           | <b>19"</b><br>48.3cm    | 20" 50.8cm               |  |
|  | Carver<br>C7                 | 13-15"<br>33-38cm         | 14-16"<br>36-41cm       | 15-17"<br>38-43cm        | 16-18"<br>41-46cm        | 17-19"<br>43-48cm       | 18-20"<br>46-51cm       | 19-21"<br>48-53cm        |  |
|  | Slide<br>V3                  | 13-15"<br>33-38cm         | 14-16"<br>36-41cm       | 15-17"<br>38-43cm        | 16-18"<br>41-46cm        | 17-19"<br>43-48cm       | 18-20"<br>46-51cm       | 19-21"<br>48-53cm        |  |
|  | Carver<br>CX<br>5"           | 13.5-15.5"<br>34-39cm     | 14.5-16.5"<br>37-42cm   | 15.5-17.5"<br>39-44cm    | 16.5-18.5"<br>42-47cm    | 17.5-19.5"<br>44-50cm   | 18.5-20.5"<br>47-52cm   | 19.5-21.5"<br>50-55cm    |  |
|  | SpiceSkate SpicePilot - "    | 14-16"<br>36-41cm         | 15-17"<br>38-43cm       | 16-18"<br>41-46cm        | 17-19"<br>43-48cm        | 18-20"<br>46-51cm       | 19-21"<br>48-53cm       | <b>20-22"</b><br>51-56cm |  |
|  | YOW<br>Meraki<br>-1.75"      | 14.75-16.75"<br>37-43cm   | 15.75-17.75"<br>37-45cm | 16.75-18.75"<br>43-48cm  | 17.75-19.75"<br>45-50cm  | 18.75-20.75"<br>48-53cm | 19.75-21.75"<br>50-55cm | 20.75-22.75"<br>53-58cm  |  |
|  | SwellTech                    | 16.5-18.5"<br>42-47cm     | 17.5-19.5"<br>44-50cm   | 18.5-20.5"<br>47-52cm    | 19.5-21.5"<br>50-55cm    | 20.5-22.5"<br>52-57cm   | 21.5-23.5"<br>55-60cm   | 22.5-24.5"<br>57-62cm    |  |
|  | Smoothstar<br>Thruster<br>4" | 1 <b>7-19"</b><br>43-48cm | 18-20"<br>46-51cm       | 19-21"<br>48-53cm        | <b>20-22"</b><br>51-56cm | 21-23"<br>53-58cm       | 22-24"<br>56-61cm       | 23-25"<br>58-64cm        |  |



#### **NOW NARROW DOWN YOUR OPTIONS**

Eliminate all decks from that company that are out of your wheelbase range (at least those narrower than the low number of your range).




# UNDERSTANDING WHEELBASE

The reason you don't want to go any narrower than your recommended wheelbase range for your surfskate truck is because as your stance narrows, your front foot needs to be further up on the truck, which causes you to tip easier.

While you can ride models that are wider than your stance width range, the wider you get, the more of a specialty ride it becomes (e.g. the YOW Malibu or Carver Tyler 777), versus a more versatile surfskate.

THE MORE YOUR SURFSKATE WHEELBASE BECOMES NARROWER THAN YOUR STANCE, THE MORE UNSTABLE IT BECOMES. THE WIDER YOUR SURFSKATE WHEELBASE GETS, THE MORE STABLE IT IS, BUT THE LESS NIMBLE.





## **EXAMPLE: CARVERS WITH WHEELBASES 17"+**

Applying the formula to Carver, and using an example stance width of 18", we get a recommended wheelbase range of between 17" and 19". We then find all the Carver models that have a wheelbase of at least 17". Then, we can use our wheelbase range calculator to map how any deck will perform for us based on its wheelbase.





# STEP 3: NARROW DOWN BY STYLE & PURPOSE

Determine your riding style/purpose/ environment/etc. How do you want to skate?


This matters because if all you're doing is lazy long-distance cruising, you don't need much concave and you can have a wider wheelbase than your recommended range. If you want to ride bowls, however, you want a deck with a narrower wheelbase, very high concave, and solid foot placement to lock your feet in.

YOUR RIDING STYLE DETERMINES THE CHARACTERISTICS YOUR DECK NEEDS BEYOND WHEELBASE AND LENGTH.



# Narrow down your deck selection by corresponding wheelbase with riding style/purpose.

Using this as a guide, let's suppose you want a deck you can use for bowl riding, in which case you want high concave. In this case, you can eliminate all decks on the lower end of your wheelbase range that have low concave.





# **STEP 4: FINAL DECISION**

# Consider all other deck factors (width, concave, foot placement, etc.).

Using the example of Carver with a stance width of 18" and a wheelbase range of 17" to 19":

#### **Black Tip**

"Sports Car" For Tight Surf Maneuvers & Bowl Riding



LENGTH: 32.5"
WHEELBASE: 17.5"
CONCAVE: DEEP
TAIL ROCKER: HIGH
LOCKED-IN FOOT POCKETS

#### **Proteus**

"Sedan" For Longer Distance Cruising



LENGTH: 33"
WHEELBASE: 18 3/8"
CONCAVE: MEDIUM
TAIL ROCKER: MEDIUM

